5

10

15

20

## **CLAIMS**

1. A plasma display device provided with a plasma display panel comprising a plurality of columns of discharge cells having one of a single color and multiple colors, and a phosphor layer disposed in each of the discharge cells, the phosphor layer having a color corresponding to the each discharge cell for emitting light when excited by ultraviolet rays, wherein

the phosphor layer includes a green color phosphor comprising at least one kind selected from among phosphor materials defined by general formulae of  $M_{1-a}$  ( $Ga_{1-x}Al_x$ )<sub>2</sub>  $O_4$ : $Mn_a$  (where "M" denotes one of Zn, Mg, Ca and Sr),  $(Y_{1-a-y}Gd_a)$  ( $Ga_{1-x}Al_x$ )<sub>3</sub> ( $BO_3$ )<sub>4</sub>: $Tb_y$ , ( $Y_{1-a-y}Gd_a$ ) ( $Ga_{1-x}Al_x$ )<sub>3</sub> ( $BO_3$ )<sub>4</sub>: $Ce_y$ ,  $Tb_y$ , ( $Y_{1-a-y}Gd_a$ )  $BO_3$ : $Tb_y$ , and ( $Y_{1-a-y}Gd_a$ )<sub>3</sub> ( $Ga_{1-x}Al_x$ )<sub>5</sub>  $O_{12}$ : $Tb_y$ .

2. A plasma display device provided with a plasma display panel comprising a plurality of columns of discharge cells having one of a single color and multiple colors, and a phosphor layer disposed in each of the discharge cells, the phosphor layer having a color corresponding to the each discharge cell for emitting light when excited by ultraviolet rays, wherein

the phosphor layer includes a green color phosphor comprising a mixture of a phosphor material defined by a general formula of  $M_{1-a}$  ( $Ga_{1-x}Al_x$ )<sub>2</sub>  $O_4$ : $Mn_a$  (where "M" denotes one of Zn, Mg, Ca and Sr) and one of phosphor materials defined by general formulae of  $(Y_{1-a-y}Gd_a)$  ( $Ga_{1-x}Al_x$ )<sub>3</sub> ( $BO_3$ )<sub>4</sub>: $Tb_y$  and  $(Y_{1-a-y}Gd_a)$  ( $Ga_{1-x}Al_x$ )<sub>3</sub> ( $BO_3$ )<sub>4</sub>: $Ce_y$ ,  $Tb_y$ .

3. A plasma display device provided with a plasma display panel comprising a plurality of columns of discharge cells having one of a single color and multiple colors, and a phosphor layer disposed in each of the discharge cells, P 35322 28

5

10

15

20

25

the phosphor layer having a color corresponding to the each discharge cell for emitting light when excited by ultraviolet rays, wherein

the phosphor layer includes a green color phosphor comprising a mixture of a phosphor material defined by a general formula of  $M_{1-a}$  ( $Ga_{1-x}Al_x$ )<sub>2</sub>  $O_4$ : $Mn_a$  (where "M" denotes one of Zn, Mg, Ca and Sr) and another phosphor material defined by a general formula of ( $Y_{1-a-y}Gd_a$ )  $BO_3$ : $Tb_y$ .

4. A plasma display device provided with a plasma display panel comprising a plurality of columns of discharge cells having one of a single color and multiple colors, and a phosphor layer disposed in each of the discharge cells, the phosphor layer having a color corresponding to the each discharge cell for emitting light when excited by ultraviolet rays, wherein

the phosphor layer includes a green color phosphor comprising a mixture of a phosphor material defined by a general formula of  $M_{1-a}$  ( $Ga_{1-x}Al_x$ )<sub>2</sub>  $O_4$ : $Mn_a$  (where "M" denotes one of Zn, Mg, Ca and Sr) and another phosphor material defined by a general formula of  $(Y_{1-a-y}Gd_a)_3$  ( $Ga_{1-x}Al_x$ )<sub>5</sub>  $O_{12}$ : $Tb_y$ .

- 5. The plasma display device according to one of claim 1 to claim 4, wherein values "a" and "x" in the general formula of  $M_{1-a}$  ( $Ga_{1-x}Al_x$ )<sub>2</sub>  $O_4$ : $Mn_a$  (where "M" denotes one of Zn, Mg, Ca and Sr) are within ranges of  $0.01 \le a \le 0.06$  and  $0.1 \le x \le 1$  respectively.
- 6. The plasma display device according to one of claim 1 and claim 2, wherein values "a", "x" and "y" in any of the general formulae of  $(Y_{1-a-y}Gd_a)$   $(Ga_{1-x}Al_x)_3$   $(BO_3)_4$ :Tby and  $(Y_{1-a-y}Gd_a)$   $(Ga_{1-x}Al_x)_3$   $(BO_3)_4$ :Cey, Tby are within ranges of  $0 \le a \le 1$ ,  $0.1 \le x \le 1$  and  $0.02 \le y \le 0.4$  respectively.

P 35322 29

5

10

7. A plasma display device provided with a plasma display panel comprising a plurality of columns of discharge cells having one of a single color and multiple colors, and a phosphor layer disposed in each of the discharge cells, the phosphor layer having a color corresponding to the each discharge cell for emitting light when excited by ultraviolet rays, wherein

the phosphor layer includes any of a green color phosphor, a blue color phosphor and a red color phosphor,

the green color phosphor comprises one of a spinel group phosphor, a yttria group phosphor and a mixture of the spinel group phosphor and the yttria group phosphor,

the blue color phosphor comprises one of phosphor materials of Ba Mg Al $_{10}$  O $_{17}$ :Eu and Ba Sr Mg Al $_{10}$  O $_{17}$ :Eu, and

the red color phosphor comprises one of phosphor materials of  $Y_2$   $O_3$ :Eu and  $(Y, Gd)BO_3$ :Eu.